


●●●●●●●● READY TO CONNECT
ELECTRICAL PRODUCTS

AN ISO 9001 : 2015
ISO 14001 : 2015
ISO 14001 : 2018
CERTIFIED COMPANY



COMPANY PROFILE

Olive Cables India Pvt. Ltd. Formed in 1975 by Mr. R. K. Jain, great Vision, enthusiastic approach and leadership of M. D. MR. Ritesh Jain, took up the legacy and leading Olive Cables to today's one of the leading and successful manufacturer of cables in India.

Manufacturing facility of Olive Cables is located at Sansar Compound, Jhilmil Indl. Area Delhi, having **approx. 20000 sq. feet** covered area for making whole range of cables.

Olive Cables (India) Private Limited is an ISO 9001:2015, ISO 14001:2015, 45001:2018 certified fast growing company. Olive Cables is a manufacturers of Power, Domestic, Industrial, Telecom ,Data & Networking cables (Cat 5 & Cat 6 all version), Signal Cables, Battery Wires, Multistrand Wires, submersible cable, Welding wires etc., as per BIS Standards IS:694:1990, IS:1554 (part-I)/ 1988, IS:7098(part-I)/1988.The company is working with the aim of zero defect zero effect, Great Vision, enthusiastic approach and leadership.

Quality is our main objective for all activities at " OLIVE" Brand. We adopt stringent control right from the raw material stage up to finish cable with process control during the manufacturing stage. Besides the Standard Wires and Cables company has Capabilities to offer the Customized product as per customer's specification and Requirement. We are OEM for many big brands in the industry.

Company is equipped with state of art modern manufacturing facilities and well equipped with in house advanced testing facilities The Company has all latest Imported and indigenous manufacturing plant and more than 45 test are conducted to adhere the best quality product .

*Company is growing with enriched & valued services of most
experience & efficient professionals to provide continuous best...!*

Infrastructure





MULTISTRAND SINGLE CORE FLEXIBLE WIRES AS PER IS : 694 (1100V)
(HSN Code : 8544)



FEATURES

- Fire Retardant
- Oxygen Index 33%
- Full Guage
- Extra Flexible
- More than 22 Lab Test Passed
- Extra Current Load Capacity
- Working Condition -15°C to 80°C
- Low Conductor Resistance
- Class-2 Conductor as per BIS
- Sleek skin for easy movement in conduit pipe.
- Electrician Coupon upto ₹40

Nominal Area Of Conductor Sq.mm	Number / Dia of wire mm	Item Code	Standard Packing Per Carton
0.75	10/0.3	OP02	27 Coils
1.00	19/0.26	OP03	27 Coils
1.50	19/0.32	OP04	27 Coils
2.50	37/0.29	OP05	12 Coils
4.00	56/0.3	OP06	10 Coils
6.00	84/0.3	OP07	-----
10.00	140/0.3	OP08	-----
16.00	224/0.3	OP09	-----

Std. Colours Red Yellow Blue Green Black White


Also available in 180 Mtrs. Special project packing on requirement

* As per conductor class 2 of IS : 8130-1984.

The above data is indicative and may be revised without prior information.



MULTISTRAND SINGLE CORE FLEXIBLE WIRES AS PER IS : 694 (1100V)
 (HSN Code : 8544)



FEATURES

- Extra Flexible
- Extra Saving
- More than 20 Lab Test Passed
- Extra Current Load Capacity
- Working Condition -15°C to 80°C
- Low Conductor Resistance
- Sleek skin for easy movement in conduit pipe.
- Electrician Coupon upto ₹40

Nominal Area Of Conductor Sq.mm	Number / Dia of wire mm	Item Code	Standard Packing Per Carton
0.50	16/0.2	OC01	30 Coils
0.75	10/0.3	OC02	30 Coils
1.00	14/0.3	OC03	30 Coils
1.50	22/0.3	OC04	27 Coils
2.50	36/0.3	OC05	12 Coils
4.00	56/0.3	OC06	10 Coils
6.00	84/0.3	OC07	-----
10.00	140/0.3	OC08	-----
16.00	224/0.3	OC09	-----

Std. Colours



* As per conductor class 2 of IS : 8130-1984.

The above data is indicative and may be revised without prior information.

MULTISTRAND SINGLE CORE FLEXIBLE WIRES AS PER IS : 694 (1100V)
(HSN Code : 8544)



FEATURES

- Extra Flexible
- Extra Saving
- More than 20 Lab Test Passed
- Working Condition -5°C to 60°C
- Low Conductor Resistance
- Sleek skin for easy movement in conduit pipe.
- Low Price

Nominal Area Of Conductor Sq.mm	Number / Dia of wire mm	Item Code	Standard Packing Per Carton
0.75	10/0.3	JG01	30 Coils
1.00	14/0.3	JG02	30 Coils
1.50	22/0.3	JG03	27 Coils
2.50	36/0.3	JG04	12 Coils
4.00	56/0.3	JG05	10 Coils

Std. Colours



* As per conductor class 2 of IS : 8130-1984.


The above data is indicative and may be revised without prior information.

TWIN TWISTED (Flexible)

(HSN Code : 8544)



Sq. mm	ITEM CODE
10 /.0076	JG17
14 /.0076	JG18
23 /.0076	JG19
30 /.0076	JG20
40 /.0076	JG21



FEATURES


- Full Length
- Brighter Copper
- No Black Shade Copper
- Maximum Twist
- Perfect for Outdoor Use
- Extra Flexible
- Colourful Pouch Packing
- Virgin/New PVC for Long Lasting
- Never Leakage of oil
- Sleek Shine and Strength PVC
- Low Cost

2 CORE FLAT COPPER

(HSN Code : 8544)



Sq. mm	ITEM CODE
0.75	JG25
1.00	JG26
1.50	JG27



Standard Packing : 90 Mtr.

FEATURES

- Extra Flexible
- Extra Saving
- More than 15 Lab Test Passed
- Brighter annealed Copper
- Virgin/New PVC for Long Lasting
- Perfect for Outdoor Use
- Working Condition -5°C to 60°C
- Sleek Shine and Strength PVC
- Low Price




SUBMERSIBLE CABLE 3 CORE FLAT CABLE

(HSN Code : 8544)

OLIVE[®] Premium

Sq. mm	No. / Dia of Wire mm	ITEM CODE
1.5	22/0.3	OPP11
2.5	36/0.3	OPP12
4.0	56/0.3	OPP13
6.0	84/0.3	OPP14




Standard Packing : 90+90 Mtrs., 300+300 Mtrs., 500 Mtrs. Drum Packing

FEATURES

- New PVC
- Extra Flexible
- Extra Current Load Capacity
- Low Conductor Resistance
- Full Guage
- More than 22 Lab Test Passed
- Working Condition -10°C to 80°C
- Class-2 Conductor as per BIS

OLIVE-CAB[®]

Sq. mm	No. / Dia of Wire mm	ITEM CODE
1.5	22/0.3	OC26
2.5	36/0.3	OC27
4.0	56/0.3	OC28
6.0	84/0.3	OC29




Standard Packing : 90+90 Mtrs., 300+300 Mtrs., 500 Mtrs. Drum Packing

FEATURES

- New PVC
- More than 22 Lab Test Passed
- Working Condition -5°C to 70°C
- Extra Flexible
- Extra Current Load Capacity
- Low Conductor Resistance

JG
JESIKA
GOLD

Sq. mm	No. / Dia of Wire mm	ITEM CODE
1.5	22/0.3	JG11
2.5	36/0.3	JG12
4.0	56/0.3	JG13
6.0	84/0.3	JG14



Standard Packing : 90+90 Mtrs., 300+300 Mtrs., 500 Mtrs. Drum Packing

FEATURES

- Extra Flexible
- More than 15 Lab Test Passed
- Sleek skin for easy movement in conduit pipe.
- Extra Saving
- Working Condition -5°C to 60°C
- Low Price




TWIN TWISTED (Flexible)

(HSN Code : 8544)

OLIVE-CAB[®]

Sq. mm	ITEM CODE
10 /.0048	OC30
14 /.0048	OC31
23 /.0048	OC32
30 /.0048	OC33
40 /.0048	OC34
0.25 Sq.mm	OC35
0.5 Sq.mm	OC36
10/0.2 Sq.mm	OC118



FEATURES


- Full Gauge Copper
- Full Length
- Brighter Copper
- No Black Shade Copper
- Perfect for Outdoor Use
- Extra Flexible
- Colourful Pouch Packing
- Virgin/New PVC for Long Lasting
- Maximum Twist
- Extra Current Long Capacity
- Never Leakage of oil
- Sleek Shine and Strength PVC

2 CORE FLAT COPPER

(HSN Code : 8544)

OLIVE-CAB[®]

Sq. mm	ITEM CODE
0.75	OC39
1.00	OC40
1.50	OC41
23 X 48	OC42



Standard Packing : 90 Mtr.

FEATURES

- Extra Flexible
- Extra Saving
- More than 20 Lab Test Passed
- Brighter annealed Copper
- Virgin/New PVC for Long Lasting
- Perfect for Outdoor Use
- Extra Current Load Capacity
- Working Condition -15°C to 70°C
- Low Conductor Resistance
- Sleek Shine and Strength PVC



ROUND CABLE

(HSN Code : 8544)

OLIVE-CAB[®]

Sq. mm	ITEM CODE	ITEM CODE
2C x 1 sq.mm	OC12 WHITE	OC12 BLACK
3C x 1 sq. mm	OC13 WHITE	OC13 BLACK
2C x 1.5 sq.mm	OC14 WHITE	OC14 BLACK
3C x 1.5 sq. mm	OC15 WHITE	OC15 BLACK
4C x 1.5 sq. mm	-----	OC25 BLACK
2C x 2.5 sq.mm	OC16 WHITE	OC16 BLACK
3C x 2.5 sq. mm	OC17 WHITE	OC17 BLACK
4C x 2.5 sq.mm	OC18 WHITE	OC18 BLACK
3C x 4.0 sq.mm	-----	OC19 BLACK
4C x 4.0 sq.mm	-----	OC20 BLACK
23 / 48 / 2 Core	OC21 WHITE	-----
23 / 48 / 3 Core	OC22 WHITE	-----
40 / 48 / 2 Core	OC23 WHITE	-----
40 / 48 / 3 Core	OC24 WHITE	-----




Available in : Black & White Colour

PARALLEL FLAT CABLES

(HSN Code : 8544)

OLIVE-CAB[®]

Sq. mm	ITEM CODE
23 X 48 WHITE	OC44



FEATURES

- Extra Flexible
- Extra Saving
- More than 20 Lab Test Passed
- Brighter annealed Copper
- Virgin/New PVC for Long Lasting
- Perfect for Outdoor Use
- Extra Current Load Capacity
- Working Condition -15⁰C to 70⁰C
- Low Conductor Resistance
- Sleek Shine and Strength PVC



ALUMINIUM CABLES

(HSN Code : 8544)



SINGLE CORE

2 CORE ROUND 90 MTR. 450 MTR.

2 CORE FLAT 90 MTR. - BLACK JACKET

SIZE SQ.MM	ITEM CODE	SIZE SQ.MM	ITEM CODE	ITEM CODE	SIZE SQ.MM	ITEM CODE
2.5	OP45	2.5	-----	-----	2.5 X 2C	OP21
4.0	OP46	4.0	-----	-----	4.0 X 2C	OP22
6.0	OP47	6.0	OP31	OP31A	6.0 X 2C	OP23
8.0	-----	8.0	-----	-----	6.0 X 2C WHITE	OP24
10.0	OP48	10.0	OP32	OP32A	10.0 X 2C	OP25
16.0	-----	16.0	-----	-----	16.0 X 2C STRANDED	OP26



SIZE SQ.MM	ITEM CODE
10.0 SQ.MM X 3 CORE	OP34
10.0 SQ.MM X 4 CORE	OP35
16.0 SQ.MM X 3 CORE STRANDED	OP36
16.0 SQ.MM X 4 CORE STRANDED	OP37

FEATURES

- Full Gauge
- More than 20 Lab Test Passed
- Working Condition -5°C to 70°C
- Sleek Shine and Strength PVC
- Extra Flexible
- Extra Current Load Capacity
- Low Conductor Resistance
- Extra Current Load Capacity

ALUMINIUM CABLES

(HSN Code : 8544)



SINGLE CORE

2 CORE FLAT 90 MTR.

2 CORE FLAT 450 MTR.

Sq. mm	ITEM CODE	Sq. mm	ITEM CODE	Sq. mm	ITEM CODE
2.5	OC45	2.5 X 2C	OC50	2.5 X 2C	OC50A
4.0	OC46	4.0 X 2C	OC51	4.0 X 2C	OC51A
6.0	OC47	6.0 X 2C	OC52	6.0 X 2C	OC52A
8.0	OC119	10.0 X 2C	OC53	10.0 X 2C	OC53A
10.0	OC48				
16.0	OC49				

BLACK JACKET






OLIVE[®] Premium

CAT-6 CABLE 4 PAIR UTP (HSN Code : 8544)

SINGLE CORE

Product	ITEM CODE 305 Mtr.
CAT-6	OP100




FEATURES

- Copper Conductor Cable
- Solid / Stranded Conductor
- 1 Gbps Speed at 100 mtr
- Designed for lowest cross talk
- Support Gigabyte Ethernet.
- PVC jacket tested -15°C + 70°C

CCTV CAMERA CABLES SOLID

(HSN Code : 8544)

Product	ITEM CODE 90 Mtr.
3+1	OP30




OLIVE-CAB[®]

CCTV CAMERA CABLES SOLID

(HSN Code : 8544)

Product	ITEM CODE 90 YARDS.
3+1	OC64



COAXIAL CABLE

(HSN Code : 8544)

ITEM CODE	PRODUCT	LENGTH MTR.
OC58	RG-59 CCS	90
OC59	RG-59 CCS	270
OC60	RG-6 CCS	90
OC61	RG-6 CCS	270
OC62	RG-6 COPPER	90
OC63	RG-6 COPPER	270





OLIVE-CAB[®]

COTTON WIRE (HSN Code : 8544)

Sq. mm	ITEM CODE 45 MTR.
23X48 - 2 CORE	OC67
23X48 - 3 CORE	OC68
40X48 - 2 CORE	OC69
40X48 - 3 CORE	OC70



TESTER (HSN Code : 8205)

PRODUCT	ITEM CODE
LINE TESTER (Single Light)	OC71
LINE TESTER (Double Light)	OC72



PVC INSULATION TAPE FR (HSN Code : 8205)

PRODUCT	ITEM CODE
1 BOX 30 Pcs.	OC80



FEATURES

- Flame Retardant - FR
- Excellent Adhesive
- Attractive Packing
- Imported Quality
- Best Elasticity
- Maximum Colours

WIRE PULLER

SIZE	ITEM CODE	METERS	PACKETS PER BAG
WIRE PULLER	OC511	5 MTR.	200 Pcs.
WIRE PULLER	OC512	10 MTR.	200 Pcs.
WIRE PULLER	OC513	15 MTR.	150 Pcs.






OLIVE[®]
..... READY TO CONNECT

CABLE TIE

SIZE : 100mm to 630mm
4 Inch to 25 Inch



Size	ITEM CODE	PACKING PER CARTON
100 x 1.8 mm	OC411	700 Pkt x 100 Pcs.
100 x 2.5 mm	OC412	500 Pkt x 100 Pcs.
150 x 2.2 mm	OC413	500 Pkt x 100 Pcs.
150 x 2.5 mm	OC414	400 Pkt x 100 Pcs.
150 x 3.6 mm	OC415	250 Pkt x 100 Pcs.
200 x 2.5 mm	OC416	300 Pkt x 100 Pcs.
200 x 3.6 mm	OC417	200 Pkt x 100 Pcs.
250 x 3.0 mm	OC418	200 Pkt x 100 Pcs.
250 x 3.6 mm	OC419	200 Pkt x 100 Pcs.
300 x 3.0 mm	OC420	180 Pkt x 100 Pcs.
300 x 3.6 mm	OC421	160 Pkt x 100 Pcs.
350 x 3.6 mm	OC422	160 Pkt x 100 Pcs.
400 x 4.0 mm	OC423	100 Pkt x 100 Pcs.

Available in : White Colour



4mm to 25mm



BATTEN ROUND



BATTEN FLATS



BATTEN OVEL



DOUBLE NAIL CLIP



WALL PLUG

CIRCLE CABLE CLIP

SIZE	ITEM CODE	PCS PER PKT	PACKETS PER BAG
4mm	OC102	100	750
5mm	OC103	100	550
6mm	OC104	100	450
7mm	OC105	100	400
8mm	OC106	100	300
9mm	OC107	100	220
10mm	OC108	100	200
12mm	OC109	100	150
14mm	OC110	100	100
16mm	OC111	100	80
18mm	OC112	100	60
20mm	OC113	100	50
25mm	OC114	100	35
Batten Ovel	OC120	50	600
Batten Round	OC100	100	750
Batten Flat	OC101	100	750

Available in : White Colour

DOUBLE NAIL CLIP

SIZE	ITEM CODE	PCS PER PKT	PACKETS PER BAG	JUMBO PACKETS PER
25mm D/N	OC122	50	-	50
32mm D/N	OC115	50	32 16x2	16
40mm D/N	OC116	25	40 20x2	10

Available in : White Colour

WALL PLUG

SIZE	ITEM CODE	PACKETS PER BAG
35mm square	OC117	500PKT X 50PC
40mm square	OC201	350PKT X 50PC
50mm	-	

Available in : White Colour



2.50 MFD



3.15 MFD



4.00 MFD



36.0 MFD



80-100 MFD



BOX TYPE CAPACITOR

FAN & MOTOR CAPACITORS

MFD	PRODUCT CODE	APPLICATIONS	MFD	PRODUCT CODE	APPLICATIONS
2.00	OC301	CEILING FAN	2.00	OC331	CEILING FAN
2.25	OC302	CEILING FAN	2.25	OC332	CEILING FAN
2.50	OC303	CEILING FAN	2.50	OC333	CEILING FAN
3.15	OC304	CEILING FAN	3.15	OC334	CEILING FAN
4.00	OC305	COOLER MOTORS 0.5 HP	4.00	OC335	COOLER MOTORS 0.5 HP
5.00	OC306	COOLER MOTORS 0.5 HP	-----	-----	-----
6.00	OC307	COOLER MOTORS 0.5 HP	-----	-----	-----
8.00	OC308	EXHAUST FAN 0.5 HP	-----	-----	-----
10.00	OC309	1/2 HP MONOBLOCK PUMP	-----	-----	-----
12.50	OC310	1/2 SELF PRIMING PUMP	-----	-----	-----
15.00	OC311	1/2 MONOBLOCK PUMP	-----	-----	-----
20.00	OC312	1/2 MONOBLOCK PUMP	-----	-----	-----
25.00	OC313	1 HP JET PUMP / 1 TON AC	-----	-----	-----
30.00	OC314	1.5 TON AC UNIT	-----	-----	-----
36.00	OC315	2 TON AC UNIT	-----	-----	-----
40.00	OC316	FTL 2 NOS. OF 40 WATTS	-----	-----	-----
45.00	OC317	-----	-----	-----	-----
50.00	OC318	-----	-----	-----	-----
60.00	OC319	-----	-----	-----	-----
72.00	OC320	-----	-----	-----	-----

MOTOR STARTING CAPACITORS (FILM TYPE)

MFD	PRODUCT CODE	APPLICATIONS
40/60	OC341	1/4 HP MONOBLOCK PUMP
60/80	OC342	1/2 HP MONOBLOCK PUMP
80/100	OC343	1/3 HP MONOBLOCK PUMP
100/120	OC344	3/4 HP MONOBLOCK PUMP
120/150	OC345	1 HP MONOBLOCK PUMP
150/200	OC346	½ HP MONOBLOCK PUMP
200/250	OC347	2 HP ,MONOBLOCK PUMP
250/300	OC348	2 HP MONOBLOCK PUMP
300/400	OC349	-----
400/500	OC350	-----

BOX TYPE RUNNING CAPACITORS

MFD	PRODUCT CODE
50	OC363
72	OC364
108	OC365
120	OC366
144	OC367
180	OC368
216	OC369
252	OC370

ABOUT US :

Working on ethical business objectives, Chanda Overseas has covered a long way in the field of wire & Cable manufacturing under the brand name of OLIVE PREMIUM & OLIVE - CAB. We are counted among the few specialized companies that aim to achieve complete distributor of a comprehensive range of Wire & Cable products to its valued clients. We are manufacturer, Supplier, trader, wholesaler and includes variety of wires and cables like CAT6 Cables, Data and Communication Cables, CATV Co-axial Cables, LAN/WAN Cables, UTP Cables CAT-5, Telephone Cables, Signal Cables, Battery Wires, Multistrand Wires, Submersible Wires, Telecommunication Wires, Welding Wires, House Wiring, Multistrand Wires, Networking Patch Cord etc.

APPROVED BY :

GOVT. OF MADHYA PRADESH (P.W.D.)
GOVT. OF UTTAR PRADESH (P.W.D.)
M.P. HOUSING & INFRASTRUCTURE BOARD

OUR ESTEEMED CLIENTELE :

AIRTEL COMMUNICATION LTD.
RELIANCE COMMUNICATIONS LTD.
SU-KAM POWER SYSTEMS LTD.
EXIDE INDUSTRIES LTD.
TATA POWER - DDL
TATA PROJECTS LTD.

Terms & Conditions

- All materials are in standardized package.
- Above rates are inclusive of GST and other Taxes as applicable.
- Mode of payment will be by cheque / DD / NEFT / RTGS or through LC.
- Payment limit will be of 30 days after that interest rate of 18% will be extra charged.
- No risk will be accepted for the loss or damage of goods while in transit.
- Company holds the right to change above mentioned price without any prior notice at any time.
- All disputes will be subjected to Delhi / New Delhi jurisdiction only.
- Special customized cables and length as per order will be against 100% advance.
- Please refer to our marketing department for any further inquiry,



Manufactured By :
OLIVE CABLES (INDIA) PVT. LTD.
519/1/16, 1st Floor, Sansar Machine Compound
G.T. Road, Dilshad Garden, Delhi-110095
Toll Free No. 1800 1032 680
Email : info@olivecables.com

You Can Join Us On

